


COVID-19 VACCINE




BAGAY OU BEZWEN KONNEN

- Vaksen COVID-19 a san danje.
- Vaksen COVID-19 pap baw COVID-19.
- Tout vaksen COVID-19 ke yo te itilize te pase nan menm tès sekirite epi yo satisfè menm estanda ak nenpòt lòt vaksen yo pwodwi.
- Vaksen COVID-19 ap ede anpeche ou pran COVID-19.

POUKISA MWEN TA DWE VAKSINE

Pou pwoteje tèt ou, kòlèg travay ou, fanmi ou, ak kominote ou





Lè ou resevwa vaksen COVID-19, ou ajoute yon lòt kouch pwoteksyon kont COVID-19

LI TOUT KÒMANSE AVÈK OU.

KONSÈY PREVANSYON

Après ou fin pran vaksen ou, kontinye:

- Pratike sosyal distans  6 FT
- Lave men ou souvan 
- Mete yon mask 
- Rete lakay si ou malad 

Se pa tout moun ki pral pran vaksen touswit, kidonk kontinye pwoteje tèt ou ak lòt moun.

EFÈ VAKSEN AN



Kèk efè vaksen an se ou kapab santi ou fatige, doulè misk, oswa lafyèv.

Byenke ou ka genyen kalite efè sa yo pa vle di ou gen COVID-19.

Si ou gen kesyon sou sante ou apre vaksen an, rele doktè ou. Pou yon reyaksyon grav, rele 911 oswa ale nan lopital la.